Page: 1

according to Regulation (EC) No. 1907/2006 as amended by (EC) No. 2015/830; US OSHA HCS 2015; and Canadian WHMIS 2015.

	Section 1. Identification of the Substance/Mixture and of the Company/Undertaking				
1.1	Product Code: Product Name: Additional Information	HAND SANITIZER Hand Sanitizer This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet. of the substance or mixture and uses advised against:			
1.2	Relevant identified uses	of the substance or mixture and uses advised against:			
1.3	Details of the Supplier of Company Name:	the Safety Data Sheet: Hand Sanitizing Products 4581 W. Junction Springfield, MO 65802 USA			

1.4 Emergency telephone number: Emergency Contact:

(417)831-2611

Section 2. Hazards Identification

2.1 Classification of the Substance or Mixture: Flammable Liquids, Category 3 Serious Eye Damage/Eye Irritation, Category 2A Flammable Liquids, Category 2 Specific Target Organ Toxicity (single exposure), Category 3 Aquatic Toxicity (Acute), Category 3 Aquatic Toxicity (Chronic), Category 3

Page: 2

2.2 Label Elements:



Danger

GHS Hazard Phrases:

GHS Signal Word:

H225 - Highly flammable liquid and vapor.

H226 - Flammable liquid and vapor.

H319 - Causes serious eye irritation.

H336 - May cause drowsiness or dizziness.

H402 - Harmful to aquatic life.

H412 - Harmful to aquatic life with long lasting effects.

GHS Precautionary Phrases:

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 - Keep container tightly closed.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash hands thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases:

P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P337+313 - If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal Phrases:

P405 - Store locked up.

P501 - Dispose of contents/container to ...

UFI:

- 2.3 Adverse Human Health Hazards not otherwise classified (HNOC) or not covered by GHS -none. Hazards not Effects and Symptoms: otherwise classified (HNOC) or not covered by GHS. Chronic: None.
- 2.3.1 Inhalation: No hazard expected in normal industrial use.
- 2.3.2 Skin Contact: Non-irritating to the skin.
- **2.3.3 Eye Contact:** Non-irritating to the eyes.

2.3.4 Ingestion: No hazard expected in normal industrial use.

Section 3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
64-17-5	Ethyl alcohol 01-2119457610-43-0000	60.0 -80.0 %	200-578-6 603-002-00-5	Flam. Liq. 2: H225
67-63-0	Isopropyl alcohol 01-2119457558-25-0000	3.0 -7.0 %	200-661-7 603-117-00-0	Flam. Liq. 2: H225 Eye Damage 2: H319 STOT (SE) 3: H335 H336
7732-18-5	Water	15.0 -25.0 %	231-791-2	No GHS classifications apply.

Page: 3

56	-81-5	na Glycerin 01-2119471987-18-	0000	1.0 -5.0 %	NA 200-289-5 NA	No GHS classifications apply.	
			Section 4.	First Aid Mea	asures		
4.1	Desc	ription of First Ai	d Consult a physician. S	Show this safety data	sheet to the doo	ctor in attendance. Move out of	
	Meas	ures:	dangerous area.				
	In Ca	se of Inhalation:	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. No specific treatment is necessary since this material is not likely to be hazardous by inhalation.				
	In Ca Conta	se of Skin act:	Wash off with soap and plenty of water. Consult a physician. No specific treatment is necessary, since this material is not likely to be hazardous.				
	In Ca Conta	se of Eye act:	Rinse thoroughly with specific treatment is n			es and consult a physician. No kely to be hazardous.	
	In Ca	se of Ingestion:	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. No specific treatment is necessary, since this material is expected to be non-hazardous.				
4.2	and E	rtant Symptoms Effects, Both and Delayed:	The most important kinsection 2.2) and/or in		effects are desc	ribed in the labelling (see	
		for the Doctor:	Treat symptomatically	and supportively.			
4.3	imme	ation of any diate medical	No data available.				
		tion and special nent needed:		iro Eighting N			

Section 5. Fire Fighting Measures

5.1 Suitable Extinguishing Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam. Not available. **Media:**

5.2	Flammable Properties	Carbon oxides,			
	and Hazards:	No data available.			
		No data available.			
	Flash Pt:	-17.00 C Method Used: Estimate			
	Explosive Limits:	LEL: No data.	UEL: No data.		
	Autoignition Pt:	No data.			
5.3	Fire Fighting	Wear self contained breathing apparatus for fire fighting if necessary. Further information. As in any fire, wear a self-contained breathing apparatus			
	Instructions:				
		pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.			
		Material will not burn.			

Page: 4

	5	Section 6. Accidental Release Measures
6.1	Protective Precautions Protective Equipment and Emergency Procedures:	, Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8. Evacuate personnel to safe areas.
6.2	Environmental Precautions:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
6.3	Methods and Material For Containment and Cleaning Up:	Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.
		Section 7. Handling and Storage
7.1	Precautions To Be Taken in Handling:	Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2. Use explosion-proof equipment. No special handling procedures are required.
7.2	Precautions To Be Taken in Storing:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Recommended storage temperature: 2 -8 - 8 deg.C. Storage class 510) No special storage requirements.
	Other Precautions:	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

Section 8. Exposure Controls/Personal Protection

8.1 E	8.1 Exposure Parameters:					
CAS #	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations		
64-17-5	Ethyl alcohol	ACGIH TLV	TLV: 1000 ppm STEL: 1000 ppm			
		France VL	TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm)			
		OSHA PELs	PEL: 1000 ppm			
		Britain EH40	TWA: 1920 mg/m3 (1000 ppm) STEL: ()			
67-63-0	Isopropyl alcohol	ACGIH TLV	TLV: 200 ppm STEL: 400 ppm			
		France VL	STEL: 980 mg/m3 (400 ppm)			
		OSHA PELs	PEL: 400 ppm			
		Britain EH40	TWA: 999 mg/m3 (400 ppm) STEL: 1250 mg/m3 (500 ppm)			
56-81-5	Glycerin	ACGIH TLV	TLV: 10 mg/m3			
		France VL	TWA: 10 mg/m3			
		OSHA PELs	PEL: 15 (dust); 5 (resp.) mg/m3			
		Britain EH40	TWA: 10 mg/m3 () STEL: ()			

8.2 Exposure Controls:

8.2.1 Engineering Controls
(Ventilation etc.):Handle in accordance with good industrial hygiene and safety practice. Wash hands
before breaks and at the end of workday. There are no special ventilation requirements.

8.2.2 Personal protection equipment:

Eye Protection:	Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Eye protection is not normally required. Safety glasses with side-shields conforming to EN166.
Protective Gloves:	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Protective garments not normally required.
Other Protective	Impervious clothing. Flame retardant antistatic protective clothing. The type of protective
Clothing:	equipment must be selected according to the concentration and amount of the
	dangerous substance at the specific workplace. Protective garments not normally required.
Respiratory Equipmen	${f t}$ Where risk assessment shows air-purifying respirators are appropriate use a full-face
(Specify Type):	respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.
	If the respirator is the sole means of protection, use a full-face supplied air respirator.
	Use respirators and components tested and approved under appropriate government
	standards such as NIOSH (US) or CEN (EU). Respirator protection is not normally required.
Work/Hygienic/Mainter	n Handle in accordance with good industrial hygiene and safety practice. Wash hands
ance Practices:	before breaks and at the end of workday.
Environmental	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

8.2.3 Discharge into the environment must be avoided. Exposure Controls:

Section 9. Physical and Chemical Properties

9.1	Information on Basic Physical and Chemical Properties		
	Physical States:	[]Gas [X]Liquid []Solid	
	Appearance and Odor:	Color: Clear. Nearly odorless.	
	pH:	No data.	
	Melting Point:	NA -94.00 - 137.00 C	
	Boiling Point:	No data 100.00 C	
	Flash Pt:	-17.00 C Method Used: Estimate	
	Evaporation Rate:	No data.	
	Flammability (solid, gas):	No data available.	
	Explosive Limits:	LEL: No data. UEL: No data.	
	Vapor Pressure (vs. Air or	No data.	
	mm Hg):		
	Vapor Density (vs. Air = 1):	No data.	
	Specific Gravity (Water = 1):	No data.	
	Density:	~ 0.79 G/CM3	
	Solubility in Water:	No data.	
	Octanol/Water Partition	No data.	
	Coefficient:		

Page: 6

	Autoignition Pt: Decomposition Tempe Viscosity:	No data. rature: No data. No data.		
	Explosive Properties:	No data available.		
	Oxidizing Properties:	No data available.		
9.2	Other Information			
	Percent Volatile:	No data.		
		Section 10. Stability and Reactivity		
10.1	Reactivity:	No data available.		
10.2	Stability:	Unstable [] Stable [X]		
10.3	Hazardous Reactions:	No data available. Vapors may form explosive mixture with air.		
	Possibility of	Will occur [] Will not occur [X]		
	Hazardous Reactions:			
10.4		Heat, flames and sparks. Extremes of temperature and direct sunlight.		
10.4	Instability:			
10.5	Incompatibility -	Strong oxidizing agents. Strong oxidizing agents, Strong reducing agents, Bases, None.		
	Materials To Avoid:	Strong bases.		
10.6	Hazardous	No data available. In the event of fire: see section 5. Other decomposition products:		
	Decomposition or	None. Carbon oxides.		
	Byproducts:			
		Section 11. Toxicological Information		
11.1	Information on	Acute toxicity.		
	Toxicological Effects:	No data available. Inhalation: Dermal. Germ cell mutagenicity. Reproductive toxicity.		
		Aspiration hazard: Epidemiology: Teratogenicity: No data available. Reproductive Effects: Mutagenicity: Neurotoxicity: Other Studies:		
	Irritation or Corrosion:	Skin corrosion/irritation. No data available. Serious eye damage/eye irritation no data		
	initiation of corresion.	available. Provide adequate ventilation.		
		Result: Tumorigenic:Tumors at site or application. Mild eye irritation -24. Serious eye		
		damage/eye irritation: Eyes - rabbit -		
	Sensitization:	No data available. Guinea pig 88%, 4		
		Result: Tumorigenic:Tumors at site or application.		
	Chronic Toxicological Effects:	available.		
		Specific target organ toxicity -repeated exposure: no data available. Specific target organ		
		toxicity - single exposure: May cause drowsiness or dizziness. Specific target organ toxicity - repeated exposure:		
	Carcinogenicity/Other	IARC: No component of this product present at levels greater than or equal to 0.1% is		
	Information:	identified as probable, possible or confirmed human carcinogen by IARC.		
		NTP: No component of this product present at levels greater than or equal to 0.1% is		
		identified as a known or anticipated carcinogen by NTP.		
		OSHA: No component of this product present at levels greater than or equal to 0.1% is		
		identified as a carcinogen or potential carcinogen by OSHA. This product is or contains a		
		component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification. CAS# 7732-18-5: Not listed by ACGIH, IARC, NTP, or CA		
		Prop 65. ACGIH: No component of this product present at levels greater than or equal to		
		0.1% is identified as a carcinogen or potential carcinogen by ACGIH.		
		Multi region format		

Revision: 03/23/2020

CAS # Hazardous Com		ponents (Chemical N	Name)	NTP	IARC	ACGIH	OSHA	
64	-17-5	Ethyl alcohol			n.a.	1	A4	n.a.
67	-63-0	Isopropyl alcohol	l .		n.a.	3	A4	n.a.
773	2-18-5	Water			n.a.	n.a.	n.a.	n.a.
56	-81-5	Glycerin			n.a.	n.a.	n.a.	n.a.
			Section 12	. Ecological	Informa	ation		
12.1	Toxici	tv:	No data available.					
12.2	Persis	tence and dability:	No data available. biodegradable.	Biodegradability I	Result: 91 %	-Readily bio	odegradable.	- Readily
12.3	Potent		No data available.	Does not bioaccu	imulate.			
12.4	Mobili	ty in Soil:	No data available.					
12.5		is of PBT and assessment:	PBT/vPvB assessi conducted.	ment not available	e as chemica	al safety asse	essment not r	equired/not
12.6	Other	adverse effects:	No data available. unprofessional hai				ded in the ev	ent of
			Section 13.	Disposal Co	onsidera	tions		
Method:Burn in a chemical incinerator equipped with an afterburner and care in igniting as this material is highly flammable. Offer surplu solutions to a licensed disposal company. Contact a licensed p disposal service to dispose of this material. Contaminated packaging. Chemical waste generators must det discarded chemical is classified as a hazardous waste. US EP/ classification determination are listed in 40 CFR Parts 261. Add generators must consult state and local hazardous waste regul and accurate classification. RCRA P-Series: None listed. RCRA U-Series: None listed.				plus and non I professional determine wh PA guideline additionally, w	-recyclable waste ether a s for the vaste			
			Section 1	4. Transport	Informa	ation		
GHS Classification:		 Flammable Liquids, Category 3 - Warning! Flammable liquid and vapor Serious Eye Damage/Eye Irritation, Category 2A - Warning! Causes serious eye irritation Flammable Liquids, Category 2 - Danger! Highly flammable liquid and vapor Specific Target Organ Toxicity (single exposure), Category 3 - Warning! May cause respiratory irritation, or may cause drowsiness and dizziness Aquatic Toxicity (Acute), Category 3 - Harmful to aquatic life Aquatic Toxicity (Chronic), Category 3 - Harmful to aquatic life with long lasting effects 						
14.1) TRANSPORT (L	JS DOT):					
D	OT Prop	per Shipping Nar	me: ALCOHOLS, N	I.O.S. (Ethanol)				
	-	ard Class:	3	FLAMMABLE L	IQUID			
U	N/NA N	umber:	UN1987	F	Packing Gro	oup:	III	

FLAMMABLE LIQUID

Page: 8

14.1 LAND	TRANSPORT (Can	adian TDG):			
	ping Name:	ALCOHOLS, N.O.S. (Et	hanol)		
UN Numb		1987	Packing Gr	oup:	III
Hazard CI	ass:	3 - FLAMMABLE LIQUI	D TDG Classi	fication:	
14.1 LAND	TRANSPORT (Euro	ppean ADR/RID):			
	Shipping Name:	,			
		1987	Packing Gr	oup:	III
Hazard CI	-	3 - FLAMMABLE LIQUI	-		
14.3 AIR TI	RANSPORT (ICAO/I				
	A Shipping Name:	ALCOHOLS, N.O.S. (Et	hanol)		
		1987	Packing Gr	oun.	III
Hazard CI	-	3 - FLAMMABLE LIQUI	-	oup	
		Section 15. Regu		ation	
EPA SARA (Su		s and Reauthorization Act			
CAS #	-	ents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
64-17-5	Ethyl alcohol	, , , , , , , , , , , , , , , , , , ,	No	No	No
67-63-0	lsopropyl alcohol		No	No	Yes
7732-18-5	Water		No	No	No
56-81-5	Glycerin		No	No	No
CAS #	Hazardous Compon	ents (Chemical Name)	Canadian NPRI	Canadian Toxic	Canadian DSL
64-17-5	Ethyl alcohol		Yes: Part 5		Yes
67-63-0	Isopropyl alcohol		Yes: Part 5		Yes
7732-18-5 56-81-5	Water Glycerin		No No	No No	Yes Yes
CAS #	•	ents (Chemical Name)	Other US EPA or		165
64-17-5	Ethyl alcohol	lents (chemical Name)		No; CWA NPDES: No:	
04-17-5			Inventory; CA PR		, 130A. 185 -
67-63-0	Isopropyl alcohol		CAA HAP,ODC: N Inventory; CA PR	No; CWA NPDES: No 20P.65: No	; TSCA: Yes -
7732-18-5	Water		CAA HAP,ODC: N Inventory; CA PR	No; CWA NPDES: No; 20P.65: No	; TSCA: Yes -
56-81-5	Glycerin		CAA HAP,ODC: N Inventory; CA PR	No; CWA NPDES: No; ROP.65: No	; TSCA: Yes -
CAS #	Hazardous Compon	ents (Chemical Name)	International Reg	ulatory Lists	
64-17-5	Ethyl alcohol Isopropyl alcohol		Yes; China IECS ISHL: No; Korea Taiwan TCSCA: Y Cat.; Germany W 1: Yes - G-1158; 01-2119457610-4 Mexico INSQ: Yes IOC: Yes; China Japan ISHL: Yes Philippines ICCS: No; Israel HSL: Y 1; Switzerland Gi	Yes; Singapore HSL: M /HCS: Yes - 96: WGK Switzerland INNS: No 3: Full, (P); Kyoto GH s - 1219; Australia ICS IECSC: Yes; Japan E - 2-(8)-319; Korea EC Yes; Taiwan TCSCA Yes - Cat.; Germany W	Yes - 5-153; Japan Philippines ICCS: Yes; No; Israel HSL: Yes - 1; Switzerland Giftliste ; REACH: Yes - IG: No S: Yes; New Zealand NCS: Yes - 2-207; IL: Yes - KE-29363; Yes; Singapore HSL: VHCS: Yes - 135: WGK ; Switzerland INNS: No;

Revision: 03/23/2020

7732-18-5	Water	Mexico INSQ: Yes; Australia ICS: Yes; New Zealand IOC:
		Yes; China IECSC: Yes; Japan ENCS: Yes - 7-1663; Japan
		ISHL: 2-(4)-1220; Korea ECL: Yes - KE-35400; Philippines
		ICCS: Yes; Taiwan TCSCA: Yes; Singapore HSL: No; Israel
		HSL: No; Germany WHCS: No; Switzerland Giftliste 1: No;
		Switzerland INNS: No; REACH: Yes - (P); Kyoto GHG: No
56-81-5	Glycerin	Mexico INSQ: Yes; Australia ICS: Yes; New Zealand IOC:
		Yes; China IECSC: Yes; Japan ENCS: Yes - 7-338; Japan
		ISHL: No; Korea ECL: Yes - KE-29297; Philippines ICCS: Yes;
		Taiwan TCSCA: Yes; Singapore HSL: No; Israel HSL: No;
		Germany WHCS: Yes - 116: WGK 1; Switzerland Giftliste 1:
		Yes - G-1659; Switzerland INNS: No; REACH: Yes -
		01-2119471987-18: Full, (P); Kyoto GHG: No

Section 16. Other Information

Revision Date:

03/23/2020

Additional Information About No data available.

This Product:

Company Policy or Disclaimer:

The information and recommendations contained herein are, to the best of Hand Sanitizing Products's knowledge and belief, accurate and reliable as of the date issued. Because many factors may affect processing or application/use, HSP recommend that you make tests to determine the suitability of a product for your particular purpose prior to use. It is the user's responsibility to satisfy itself that the product is suitable for the intended use. If buyer repackages this product, it is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the container. Appropriate warnings and safe-handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not permitted. In no case shall the descriptions, information, data or designs provided be considered a part of our terms and conditions of sale. Further, you expressly understand and agree that the descriptions, designs, date and information furnished by InkJet hereunder are given gratis and InkJet assumes no obligation or liability for the description, designs, data and information given or results obtained. All such being given and accepted at your risk.